



REGISTRATION FORM



IDENTIFICATION	
Name of the Company *	
CBE number of the Company *	
EORI number of the Company *	
Address *	
Name of the Contact Person *	
Email of the Contact Person *	
Phone Number of the Contact Person *	
Name of the Provider	
EORI number of the Provider	
Address	
Name of the Contact Person	
Email of the Contact Person	
Phone Number of the Contact Person	
APPLICATIONS	
IDMS	
Access to TEST/ACC environment	<input type="checkbox"/>
System Name (identifier of your system for which the callback URL(s) is to be registered)	
Callback Address	
Secret (a simple character string that will be used to calculate the X-signature header of messages sent to the callback URL)	
Access to PROD environment	<input type="checkbox"/>
System Name (identifier of your system for which the callback URL(s) is to be registered)	
Callback Address	
Secret (a simple character string that will be used to calculate the X-signature header of messages sent to the callback URL)	
NCTS	



Access to TEST/ACC environment		<input type="checkbox"/>
System Name (identifier of your system for which the callback URL(s) is to be registered)		
Callback Address		
Secret (a simple character string that will be used to calculate the X-signature header of messages sent to the callback URL)		
Access to PROD environment		<input type="checkbox"/>
System Name (identifier of your system for which the callback URL(s) is to be registered)		
Callback Address		
Secret (a simple character string that will be used to calculate the X-signature header of messages sent to the callback URL)		
AES		
Access to TEST/ACC environment		<input type="checkbox"/>
System Name (identifier of your system for which the callback URL(s) is to be registered)		
Callback Address		
Secret (a simple character string that will be used to calculate the X-signature header of messages sent to the callback URL)		
Access to PROD environment		<input type="checkbox"/>
System Name (identifier of your system for which the callback URL(s) is to be registered)		
Callback Address		
Secret (a simple character string that will be used to calculate the X-signature header of messages sent to the callback URL)		
PN/TS		
Access to TEST/ACC environment		<input type="checkbox"/>
System Name (identifier of your system for which the callback URL(s) is to be registered)		
Callback Address		
Secret (a simple character string that will be used to calculate the X-signature header of messages sent to the callback URL)		
Access to PROD environment		<input type="checkbox"/>



System Name (identifier of your system for which the callback URL(s) is to be registered)	
Callback Address	
Secret (a simple character string that will be used to calculate the X-signature header of messages sent to the callback URL)	
SIGNATURE OF THE COMPANY CONTACT PERSON	
PROVIDED BY FPS FINANCES	
Official name (aka OAuth ClientId, a technical identifier)	
Name of the service B2B	
Remark(s)	